Application No.: 10/523263 Docket No.: 13156-00001-US

Reply to Office Action dated June 20, 2007

AMENDMENTS TO THE CLAIMS

 (Currently Amended) A process for preparing lactones <u>which comprises catalytic</u> <u>carbonylating an oxirane</u> <u>by catalytic carbonylation of oxiranes, wherein with a catalyst</u> system comprising

- a) at least one cobalt compound as component A and
- b) at least one metal compound of the formula (I) as component B,

MX_xR_{n-x}

(I)

where

M Al, Mg or Zn,

R hydrogen or C_{1-32} -alkyl, C_{2-20} -alkenyl, C_{3-20} -cycloalkyl, C_{6-18} -aryl, C_{7-20} -aralkyl or C_{7-20} -alkaryl, where substituents may be present on the carbon atoms other than the carbon atom bound to M,

X Cl, Br, I, sulfonate, oxide, C₁₋₃₂-alkoxide or amide,

n is a number corresponding to the valence of M and

x is in the range from 0 to n,

with n and x being selected so that the compound is uncharged,

and wherein said oxirane is ethylene oxide, propylene oxide, butylene oxide, cyclopentene oxide or cyclohexene oxide is used as catalyst.

- 2. (Currently Amended) The process A process as claimed in claim 1, wherein the component A is selected so that a cobalt carbonyl compound is present under the reaction conditions.
- 3. (Currently Amended) The process A process as claimed in claim 1, wherein the component B is $AlCl_xR_{3-x}$ where x is from 0 to 3 and R is C_{1-6} -alkyl.
- 4. (Currently Amended) A catalyst <u>The process as claimed as defined</u> in claim 1 with the exception of the combination Al(C₂H₅)₃/Co(acac)₃.

548015

Application No.: 10/523263 Docket No.: 13156-00001-US

Reply to Office Action dated June 20, 2007

5. (Currently Amended) A process for preparing eatalysts as defined in claim 4 by mixing the components A and B a catalyst which comprises mixing

a) at least one cobalt compound as component A and

b) at least one metal compound of the formula (I) as component B,

MX_xR_{n-x}

(I)

where

M Al, Mg or Zn,

R hydrogen or C_{1-32} -alkyl, C_{2-20} -alkenyl, C_{3-20} -cycloalkyl, C_{6-18} -aryl, C_{7-20} aralkyl or C_{7-20} -alkaryl, where substituents may be present on the carbon
atoms other than the carbon atom bound to M,

X Cl, Br, I, sulfonate, oxide, C₁₋₃₂-alkoxide or amide,

n is a number corresponding to the valence of M and

x is in the range from 0 to n.

with n and x being selected so that the compound is uncharged.

- 6. (Currently Amended) The process as claimed in claim 5, A-process for preparing eatalysts as defined in claim 1, wherein said at least one cobalt compound is octacarbonyldicobalt.
- 7. (Currently Amended) The process as claimed in claim 5, A process for preparing eatalysts as defined in claim 1, wherein said at least one metal compound of the formula (I) is trimethylaluminum, triethylaluminum, tri(sec-butyl)aluminum or triisopropoxyaluminum.
- 8. (Currently Amended) The process as claimed in claim 6, A process for preparing eatalysts as defined in claim 6, wherein said at least one metal compound of the formula (I) is trimethylaluminum, triethylaluminum, triethylaluminum or triisopropoxyaluminum.

548015

Application No.: 10/523263 Docket No.: 13156-00001-US

Reply to Office Action dated June 20, 2007

9. (New) The catalyst as claimed in claim 5, with the exception of the combination $Al(C_2H_5)_3/Co(acac)_3$.

548015 4